



The Solution You Deserve



رؤية
2030
المملكة العربية السعودية
KINGDOM OF SAUDI ARABIA

مؤسسة إنلون أرابيا تراديغ
INLON ARABIA TRADING

**YOUR SOURCE
FOR QUALITY,
ACROSS SAUDI ARABIA**

COMPANY PROFILE

info@inlon-arabia.com | www.inlon-arabia.com

أرامكو السعودية
saudi aramco





ABOUT OUR COMPANY

At **Inlon Arabia Trading**, we are committed to delivering top-quality scaffolding solutions designed to meet the diverse needs of our clients. With years of experience in the industry, we understand the importance of safety, efficiency, and reliability in every project. From design and installation to maintenance, we provide complete scaffolding services that ensure your projects are completed on time and within budget.

Whether in construction, industrial maintenance, or other sectors, our skilled team offers expert guidance and tailored solutions to match your requirements. We believe in building strong partnerships through clear communication and customer satisfaction. At **Inlon Arabia Trading**, your safety and success are our top priorities as we work together to create a safer and more efficient future.

**POWERING
PROJECTS
DELIVERING
TRUST**

www.inlon-arabia.com



OUR PURPOSE, PRINCIPLES & PROMISE

Our Vision, Mission, and Core Values define who we are and serve as the foundation of everything we do. They express our purpose as a company, our dedication to delivering safe and reliable scaffolding solutions, and the guiding principles that shape our relationships with clients, partners, and employees.



VISION

To be a trusted leader, delivering excellence and innovation in all we do.



MISSION

We strive to provide quality solutions that exceed expectations and create lasting value.



VALUES

Integrity, commitment, innovation, teamwork, and customer focus.

END-TO-END SCAFFOLDING SOLUTIONS

Inlon Arabia Trading is a trusted provider of scaffolding solutions, offering design, installation, and maintenance services that prioritize safety, efficiency, and quality—delivering reliable support under one roof to ensure projects are completed on time and with excellence.



SCAFFOLDING DIVISION

BUILDING SAFER
HEIGHTS WITH STRENGTH
AND RELIABILITY

SCAFFOLDING TUBES

Scaffolding tubes are supplied in HR (Black) & Galvanized type, mainly 3.2mm and 4.0mm thickness with standard specification **EN 39, EN 10219, Bs1139**

GI SCAFFOLDING TUBE

48.3 MM OD X 4.0 MM BS 1139 OR EN 39
48.3 MM OD X 3.2 MM EN 10219



BLACK TUBES

Durable HR (Black) tubes designed for structural, mechanical, and general engineering applications, ensuring strength and reliability.

GALVANIZED TUBES

Corrosion-resistant Pre-Galvanized tubes suitable for outdoor, plumbing, fencing, and other commercial applications, providing long-lasting performance.



SQUARE TUBES


Square Tubes are supplied only in HR (Black) Pre-Galvanized type. Can be used in structural, Furniture and other commercial application.

RECTANGULAR TUBES


Square Tubes are supplied only in HR (Black) Pre-Galvanized type. Can be used in structural, Furniture and other commercial application.



I-CUP LOCK SYSTEM SCAFFOLDING



Cup lock Systems Scaffolding is the most used system scaffold in Saudi Arabia & Middle East. (UAE United Arab Emirates. Saudi Arabia. Kuwait. Qatar. Bahrain. Oman). **Inlon Arabia Trading** supply premium quality range of Cup lock Scaffolding Systems in Saudi Arabia which deals in Cup lock Systems, Cup lock ledger, Cup lock standard. Cup lock transom and many more. We also supply scaffolding systems accordance with all British, EU and International standards.




VERTICAL STANDARD (OPEN END)

Made from 48.3mm diameter x 3.2mm thick high grade steel tube conforming to EN 10219 Standards (Vertical) are formed by two cups a fixed bottom cup which is welded to the standard (Vertical) at pre-located intervals i.e. 500mm and a sliding top cup. The forged blade ends of the Ledger (Horizontal) are located into the bottom cup. The top Cup is moved down and rotated to Secure the components in place and tightened by a hammer blow to give a positive and rigid connection

LEDGER (HORIZONTAL)

Made from 48.3mm diameter high grade Steel tube conforming to EN10219 With forged blade which locate into the bottom cups of the Standard (Vertical) and locked in place by the corresponding



INTERMEDIATE TRANSOM (HORIZONTAL)

Made from 48.3mm diameter high grade steel tube conforming to EN10219, They rest upon the ledgers at right angles to reduce the span and provide extra support for boards. One end is provided with an integral locking device to prevent any movement along the ledgers during use.



BEAM BRACKET

Beam Bracket are made from 48.3mm diameter high grade steel tube conforming to EN10219 and are used to provide support to beam formwork from also support standards with provision for accepting jacks or fork heads. It has a safe load carrying capacity of 1500 kgs. The beam bracket distributes the load throughout the surrounding cup lock system structure, thus reducing excessive strain on all components.

TUBULAR HOP-UP BRACKET

Hop-up Bracket are made from 48.3mm diameter high grade steel tube conforming to EN10219 and are used to increase the width of working platform used in conjunction with transoms/intermediate transoms or inside-board transoms. They incorporate a cup joint at the outside end to allow the fitting Of an inside ledger which links the hop-up brackets and supports transoms /intermediate transoms.



CANTILEVER FRAME

This frame has ledger blades to be fitted into Cup lock standards at one end and with provision for accepting jacks in three positions at the other end at 1.2m, 1.25m and 1.3m from centerline of the standard. Finish Available: Painted & Hot Dip Galvanized

SPIGOT

Finish Available: Painted & Hot Dip Galvanized
 Spigots are used on the top of a standard to create an end to end connection with another standard. The nuts and the bolts. So they can be connected onto the top of the standard.



I-SCAFFOLDING FITTINGS

www.inlon-arabia.com



At **Inlon Arabia Trading**, our I-Scaffolding Fittings are engineered to deliver strength, durability, and precision for a wide range of scaffolding applications. Manufactured to meet international standards, these fittings ensure maximum safety and reliability, making them the preferred choice for construction, industrial maintenance, and infrastructure projects.

We offer a comprehensive range of fittings, including couplers, clamps, joints, and connectors, designed to provide secure and stable connections. With a focus on quality and performance, our scaffolding fittings are built to withstand heavy loads and challenging conditions, ensuring your projects are completed safely, efficiently, and on time.



Double Coupler



Single Coupler



Swivel Coupler



Sleeve Coupler



Girder Coupler



Toe Board Clamp



Pressed Ladder Clamp




Universal Clamp

I- SCAFFOLDING BOARDS

www.inlon-arabia.com



THE FOUNDATION
OF SAFER
WORKSPACES



STEEL BOARDS

We offers a wide range of steel scaffolding plank to be used with Cuplock or Tube & Fittings scaffolding system for various projects without any gaps on the deck.

We offer the steel planks as follows:

1.6, 1.8 and 2mm thick steel

Hot dipped galvanized or painted

With or without hooks

38mm & 65mm deep x 240mm wide
(to evenly fit on the Cup lock system scaffold)

Slip resistance surface

Fire Resistant - Ideal to use in petrochemical,
Gas & Industrial Plants for welding jobs & near burning fire

Corrosion resistant

Strong durable design

Light weight

Long life value for Money

LENGHT

1.5M | 1.8M | 2.4M | 3.0M | 3.9M

OSHA WOODEN BOARDS

Scaffold WOODEN planks or scaffold boards are a big deal. They have to be strong enough to support your crew, equipment and materials. They have to be the correct size to fit the spar between the frames.

38mm x 225mm x 3900mm & 38mm x 225mm x 5900mm

Laminated Veneer Lumber Scaffolding Boards
(LVL) OSHA standard, Phenolic Glue (WBP)
Proof tested

Painting: Blue color painting at the end of every sheet LVL and clear words fully embossed on the edge of LVL



I- SCAFFOLDING JACKS

I-Scaffolding Jacks provide strong support and easy height adjustment, ensuring stability, safety, and balance for scaffolding on all surfaces.



U Head Jack



Swivel Base Jack




Base Jack



Universal Jack

I- SCAFFOLDING LADDERS



Steel Ladder



Beam Ladder



Aluminium Ladder

I-SCAFFOLDING TOOLS MATERIALS

www.inlon-arabia.com



Scaffolding Tool Belt



Steel Straping Clips



Harness



Steel Straper & Sealer




Rubber Bush



Scaffolding Box Spanner



Steel Straping Rolls



Welded Wire Mesh



Ratchet Spanner



Scaffolding Tag Holder



Normal Hammer



Brass Hammer




Spirit Level




Washer Plate




Tie Rod



Carbon Beam



Wooden Beam



Aluminium Beam



Steel Plate



Cross Bracing



Wing Nut



PVC Cone



Steel Props



Water Stopper



Caster Wheel

HARDWOOD & PLYWOOD

We specialized in supplying various types of hardwood timbers and plywood for offshore/onshore sector, oil field projects as per customer requirement.

HARDWOOD

Timber Wood (GRADE K/D&S/D)

Available Brands

Romanian Wood, Austrian Wood, German Wood, Canadian Wood.

Available all Customer Requirements.

PLYWOOD

Commercial Plywood, Film Faced Plywood, Veneered Plywood



MOBILE SCAFFOLD TOWERS

www.inlon-arabia.com



SINGLE WIDTH MOBILE SCAFFOLD TOWER

The international mobile scaffold tower for conditions where narrowness prevails. The adjustable outriggers allow for multiple adaptations. When fully extracted the outriggers provide conditions in extended heights. When retracted, the tower can easily be moved through alley, doorways etc, or be used for wall side applications.

AVAILABLE SIZES:

Width: 0.80 meter

Length: 1.80 meter

Total Height: 2.0m, 3.0m, 4.0m, 5.0m, 6.0m, 7.0m, 8.0m, 9.0m.



DOUBLE WIDTH MOBILE SCAFFOLD TOWER

Our aluminium tower offer an solution for those hand to reach places that requires safe and convenient access. Simply and easy to erecting to the lightness of aluminium our frames and accessories are durable, low-maintenance and mobile giving you the versatility to relocate or adjust. This main frame is design for those people who need a ladder in the main frame.

AVAILABLE SIZES:

Width: 1.45 meter

Length: 2.45 meter

Total Height: 2.0m, 3.0m, 4.0m, 5.0m, 6.0m, 7.0m, 8.0m, 9.0m, 10.0m, 11.0m, 12.0m, 13.0m, 14.0m, 15.0m, 16.0m, 17.0m, 18.0m, 19.0m, 20.0m, 5.0m, 6.0m, 7.0m, 8.0m, 9.0m.



SUPPORT SERVICES

Inlon Arabia Trading is not just a full-service scaffolding solutions provider—we also offer a wide range of other support services to our clients. Even if you don't choose us for your scaffolding needs, or your project doesn't require scaffolding-related services, there are still many ways in which Inlon Arabia can help you achieve your desired results.

At the same time, if you do choose **Inlon Arabia** for scaffolding, our support services complement these solutions and allow you to benefit from true synergy. Working with our team for both scaffolding and support services saves you time and money, makes your job site more productive, ensures faster project completion, and significantly enhances safety.

To learn more about our support services, products, and solutions, please explore our website. Don't hesitate to contact us via our Contact Page, and one of our executives will reach out to you as soon as possible to discuss how **Inlon Arabia Trading** can support your success.

We're more than just scaffolding at **Inlon Arabia**—we provide a full range of services and solutions to help your project finish on time, on budget, and with maximum safety and efficiency.

QUALITY POLICY

Inlon Arabia Trading is dedicated to a quality policy that ensures our products and services consistently meet the requirements of our customers. Our goal is to achieve a high level of customer satisfaction at all times. To realize this, we are committed to implementing strong managerial and operational systems that support excellence across every aspect of our business.

We believe in fostering a partnership approach, where clients and suppliers work together in pursuit of continuous improvement and service quality. We also place strong emphasis on health and safety, ensuring the well-being of our staff, clients, and stakeholders at every stage of our operations.

Our Quality Policy is based on the following principles:

- Fully identifying and conforming to the needs of our clients.
- Ensuring every job is done right the first time.
- Continuously reviewing our processes to eliminate potential errors.
- Maintaining strict adherence to health and safety standards.

To ensure successful implementation, staff are responsible for identifying customer requirements and following the correct procedures to meet them. Objectives to support this policy will be set, monitored, and reviewed regularly during Management Reviews and Appraisals to drive continual improvement.

This policy will be communicated to all staff and made readily available at all times. Training and development are integral to our strategy, ensuring that every member of our team understands and upholds our company's standards.

At **Inlon Arabia Trading**, we are committed to continuous improvement, ensuring services are delivered in the most effective and timely manner. Through ongoing training, strong systems, and a culture of responsibility, we will consistently meet customer requirements and strengthen our reputation for quality, reliability, and safety.

INLON

The Solution You Deserve

BRANCHES



DRIVING SAUDI GROWTH WITH RELIABLE MATERIALS

CONTACT US FOR MORE INFO

📍 AlKhobar, AlKhobar, Al Janubiyah Dist,
Kingdom of SaudiArabia

🌐 info@inlon-arabia.com
www.inlon-arabia.com

☎ **+966 54 610 5187**



رؤية
2030
المملكة العربية السعودية
KINGDOM OF SAUDI ARABIA